



With partners across China and the world,
NORTH has a truly national and international
understanding and unparalleled collective expertise.

Jinan North Welding & Cutting Tools Co Ltd
济南诺斯焊割辅具有限公司
No.25 XinMaoQiLu Sci-tech Zone Zidong Road Tianqiao Zone Jinan 250121
Shandong, P.R. China
中国山东省济南市天桥区桑梓店鑫茂齐鲁科技城25号
China Sales (销售部) : 0531 8801 0828 / 0531 8866 7989
Fax (传真) : 0531 88662287


Tig Torch Series for Everyone [™]
northweld.com

All Trademarks / Part Numbers printed in this catalogue are the property of their respective owners and are for reference purposes only. All Trademarks / Part Numbers are in no way connected or affiliated with Jinan North Welding & Cutting Tools Co Ltd. Specification / Product Information / Product Appearance are subject to change without notice. Please refer to www.northweld.com for the most up-to-date data.

NC005-01-0422

TIG TORCHES HIGH PERFORMANCE GUARANTEE

济南诺斯
Jinan North



*Ready for action.....
whatever work throws at it*

NEW WP RANGE

WP 9	3
WP 17	4
WP 18	5
WP 20	6
WP 24	7
WP 24W	8
WP 25	9
WP 26	10
WP 12	11

NEW KLASIK Range KLASIK 系列氩弧焊枪

KT 9	15
KT 17	16
KTW 18	17
KTW 20	18
KT 24	19
KTW 24	20
KTW 25	21
KT 26	22
KT H 17	23
KT HW 18	24
KT H 26	25

NEW MAGNIFIK Range M 系列热丝


MTW 35	29
MTW 45	30
MTH 17	31
MTHW 18	32
MTH 26	33

• Wear Parts & Configuration



Collets /Collet Bodies /Gas Lens Bodies / Cup	35
Torch Body Options	41
Tungsten Electrodes	42
Cable and Wiring System	43
Cable Connectors	45

TIG Torch

WP

 WP9 60% 125A DC 100A AC	 WP17 60% 150A DC 125A AC	 WP18 100% 350A DC 270A AC	 WP20 100% 250A DC 220A AC
 WP24 60% 110A DC 95A AC	 WP24W 100% 180A DC 120A AC	 WP25 100% 250A DC 220A AC	 WP26 60% 200A DC 150A AC
 WP12 100% 500A DC			

KLASIK

 KT9 60% 125A DC 100A AC	 KT17 60% 150A DC 125A AC	 KTW18 100% 350A DC 270A AC	 KTW20 100% 250A DC 220A AC
 KT24 60% 110A DC 95A AC	 KTW24 100% 180A DC 120A AC	 KTW25 100% 250A DC 220A AC	 KT26 60% 200A DC 150A AC
 KTH17 60% 150A DC 125A AC	 KTHW18 100% 350A DC 270A AC	 KTH26 60% 200A DC 150A AC	

Magnifik

 MTH17 60% 150A DC 125A AC	 MTHW18 100% 350A DC 270A AC	 MTH26 60% 200A DC 150A AC
---	---	---

WP Range



易损件与国际标准一致。
Consumables compatible to the international standard.



有标准枪头、柔性枪头或带阀门的枪头等多种选择。
Available with valve, flexible torch bodies, flexible torch bodies with valve and "Free" without button.



手柄防滑设计，可安装两种开关：单控制和双控制开关。
Rugged design and 2 types of button, simple and double.



具有高绝缘性的橡胶电缆。
Very flexible rubber cables with a high insulation level.



可适配多种后尾接头。
Connections for all types of welding machines.




Technical Data 参数	WP 9	WP 17	WP 18
Cooling Method 冷却方式	Air-Cooled	Air-Cooled	Water-Cooled
Rating : 额定电流 DC/AC	125A/100A	150A/125A	350A/270A
Duty Cycle: 暂载率	60%	60%	100%
Electrodes Φ : 钨棒直径	0.5-1.6mm	0.5-2.4mm	0.5-4.0mm
Order Part No.	NSA1401	NSF1401	NSR1401



WP 20	WP 24	WP 24W	WP 25	WP 26	WP 12
Water-Cooled	Air-Cooled	Water-Cooled	Water-Cooled	Air-Cooled	Water-Cooled
250A/220A	110A/95A	180A/120A	250A/220A	200A/150A	500A
100%	60%	100%	100%	60%	100%
0.5-3.2mm	0.5-2.4mm	0.5-2.4mm	0.5-3.2mm	0.5-4.0mm	1.6-6.4mm
NSU1401	NSP1401	NSY1401	NSW1401	NSK1401	NSWP1401

WP 9

额定值：125A DC 60% 暂载率。95A AC 60% 暂载率。
Rating： 100A DC 60% duty. 95A AC 60% duty.




Model 型号			Description 描述			Length 长度			Part Number 编号		
WP 9 Tig Torch						4m			NSA1401		
Components											
No.	Part Number	Description				No.	Part Number	Description			
1	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴					NTF0110	TIG9VF Torch Body 带阀门柔性枪头			
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴				6	NBW0063*	Back Cap Long 长柄帽			
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴					NBW0064	Back Cap Medium 中柄帽			
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴					NBW0065	Back Cap Short 短柄帽			
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴				7	K01*	Trigger 扳机			
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴				8	NTP0004	Handle 手柄			
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴				9	NTH0046-4*	TIG9 Cable Assembly 4m Long 电缆总成 4m			
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴				10	NAU6026	M16X1.5 Power Connector 气电接头			
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴					NAU3031*	M12X1 Power Connector 气电接头			
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴				11	NBW0350*	Power Adaptor Handle 快插把套			
	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴				12	NX2016*	25 mm² Power Adaptor 25mm² 快插接头			
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴				13	NEA0326*	1/8G Connector 快插拐角			
2	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座				14	QGJTM16X1.5	M16X1.5 Gas Connector 气管接头			
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座					QGJT1/4G	1/4G Gas Connector 气管接头			
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座					QGJTM10X1*	M10X1 Gas Connector 气管接头			
3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹				15	NBX0480	2 Pin Connector 2 芯插头			
	NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹									
	NTD0003-16*	Collet Φ1.6-25mm/13N22 钨极夹									
4	NTQ0001*	Gasket 绝缘环									
5	NTF009*	TIG9 Torch Body 枪头									
	NTF0010	TIG9F Torch Body 柔性枪头									
	NTF0109	TIG9V Torch Body 带阀门枪头									

* Denotes Standard Build 表示标准配置，选配件须注明编号

WP 17

额定值：150A DC 60% 暂载率。125A AC 60% 暂载率。
Rating： 150A DC 60% duty. 125A AC 60% duty.



Model 型号			Description 描述		Length 长度	Part Number 编号	
WP 17 Tig Torch					4m	NSF1401	
Components							
No.	Part Number	Description			No.	Part Number	Description
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴				NTF0118	TIG17VF Torch Body 带阀门柔性枪头
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴			6	NBW0056	Back Cap Medium 中柄帽
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴				NBW0066*	Back Cap Long 长柄帽
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴				NBW0067	Back Cap Short 短柄帽
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴			7	K01*	Trigger 扳机
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴			8	NTP0004	Handle 手柄
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴			9	NTH0066*	TIG17 Cable Assembly 4m Long 电缆总成 4m
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴			10	NAU6026	M16X1.5 Power Connector 气电接头
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴				NAU3031*	M12X1 Power Connector 气电接头
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴				NAU3024	3/8-24UNF Bolt 气电螺栓
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座			11	NBW0351*	Power Adaptor Handle 快插把套
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座			12	NX2079*	50 mm² Power Adaptor 50mm² 快插接头
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座			13	NEA0326*	1/8G Connector 快插拐角
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座			14	QGJTM16X1.5	M16X1.5 Gas Connection 气管接头
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座				QGJT1/4G	1/4G Gas Connection 气管接头
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹				QGJTM10X1*	M10X1 Gas Connection 气管接头
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹			15	NBX0480	2 Pin connector 2 芯插头
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹					
	NTD0001-20	Collet Φ2.0-50mm 钨极夹					
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹					
4	NTQ0002*	Gasket 绝缘环					
5	NTF0017*	TIG17 Torch Body 枪头					
	NTF0022	TIG17F Torch Body 柔性枪头					
	NTF0117	TIG17V Torch Body 带阀门枪头					

* Denotes Standard Build 表示标准配置，选配件须注明编号


WP 18

额定值：350A DC 100% 暂载率。270A AC 100% 暂载率。
Rating: 350A DC 100% duty. 270A AC 100% duty.



Model 型号		Length 长度		Part Number 编号	
WP 18 Tig Torch		4m		NSR1401	
Components					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴		NTD0001-20	Collet Φ2.0-50mm 钨极夹
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴		NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴		NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴		NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴		NTD0001-48	Collet Φ4.8-50mm/30028 钨极夹
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴	4	NTQ0002*	Gasket 绝缘环
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴	5	NTG0018*	TIG18 Torch Body 枪头
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴		NTG0118	TIG18F Torch Body 柔性枪头
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴	6	NBW0056	Back Cap Medium 中柄帽
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽
				NBW0067	Back Cap Short 短柄帽
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座	7	K01*	Trigger 扳机
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	8	NTP0005*	Handle 手柄
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	9	NTH0088*	TIG18 Cable Assembly 4m Long 电缆总成 4m
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座	10	NAU3031*	M12X1 Power Connector 水电接头
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座	11	QGJT3/8G*	3/8G Water Connector 水管接头
	NTE0001-32	Collet Body Φ3.2-47mm/10N28 钨极夹座	12	QGJT1/4G*	1/4G Gas Connector 气管接头
	NTE0001-40	Collet Body Φ4.0-47mm/406488 钨极夹座	13	NBX0480	2 Pin Connector 2 芯插头
	NTE0001-48	Collet Body Φ4.8-47mm/30126 钨极夹座			
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹			
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹			
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹			

* Denotes Standard Build 表示标准配置，选配件须注明编号




WP 20

额定值：250A DC 100% 暂载率。220A AC 100% 暂载率。
Rating: 250A DC 100% duty. 220A AC 100% duty.




Model 型号		Length 长度		Part Number 编号	
WP 20 Tig Torch		4m		NSU1401	
Components					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴		NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴		NTD0003-16	Collet Φ1.6-25mm/13N22 钨极夹
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴		NTD0003-20	Collet Φ2.0-25mm 钨极夹
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴		NTD0003-24	Collet Φ2.4-25mm/13N23 钨极夹
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴		NTD0003-32	Collet Φ3.2-25mm/13N24 钨极夹
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴	4	NTQ0001*	Gasket 绝缘环
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴	5	NTF0020*	TIG20 Torch Body 枪头
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴		NTF0220	TIG20F Torch Body 柔性枪头
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴	6	NBW0063*	Back Cap Long 长柄帽
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴		NBW0064	Back Cap Medium 中柄帽
	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴		NBW0065	Back Cap Short 短柄帽
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴	7	K01*	Trigger 扳机
2	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座	8	NTP0004*	Handle 手柄
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座	9	NTH0064*	TIG20 Cable Assembly 4m Long 电缆总成 4m
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座	10	NAU3019*	M12X1 Power Connector 水电接头
	NTE0003-20	Collet Body Φ2.0-21mm 钨极夹座	11	QGJT3/8G*	3/8G Water Connector 水管接头
	NTE0003-24	Collet Body Φ2.4-21mm/13N28 钨极夹座	12	QGJT1/4G*	1/4G Gas Connector 气管接头
	NTE0003-32	Collet Body Φ3.2-21mm/13N29 钨极夹座	13	NBX0480	2 Pin Connector 2 芯插头
3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹			

* Denotes Standard Build 表示标准配置，选配件须注明编号



WP 24

额定值：110A DC 60% 暂载率。95A AC 60% 暂载率。
Rating： 110A DC 60% duty. 95A AC 60% duty.




Model 型号		Length 长度		Part Number 编号	
WP 24 Tig Torch		4m		NSP1401	
Componetents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0021	Alumina Cup Gr.3-Φ4-16mm/53N23 陶瓷喷嘴		NTD0004-24	Collet Φ2.4-14mm/24C332 钨极夹
	NTC0022*	Alumina Cup Gr.4-Φ6.4-16.5mm/53N24 陶瓷喷嘴	4	NTQ0004*	Gasket 绝缘环
	NTC0023	Alumina Cup Gr.5-Φ8-15.6mm/53N25 陶瓷喷嘴	5	NTF0024*	TIG24 Torch Body 枪头
	NTC0024	Alumina Cup Gr.6-Φ9.8-15.6mm/53N27 陶瓷喷嘴		NTF0224	TIG24F Torch Body 钨极夹
	NTC0027	Alumina Cup Gr.4-Φ6.4-29mm/53N28 陶瓷喷嘴	6	K01*	Trigger 扳机
	NTC0028	Alumina Cup Gr.6-Φ9.8-29mm/53N26 陶瓷喷嘴	7	NTP0004*	Handle 手柄
2	NTE0004-05	Collet Body Φ0.5-12mm/53N17 钨极夹座	8	NTH0064-A*	Cable Assembly 4m Long 电缆总成 4m
	NTE0004-10	Collet Body Φ1.0-12mm/53N18 钨极夹座	9	NAU3031*	M12X1 Power Connector 气电接头
	NTE0004-16*	Collet Body Φ1.6-12mm/53N19 钨极夹座	10	NBW0351*	Power Adaptor Handle 快插把套
	NTE0004-24	Collet Body Φ2.4-12mm/24CB332 钨极夹座	11	NX2079*	50 mm² Power Adaptor 50mm² 快插接头
3	NTD0004-05	Collet Φ0.5-14mm/53N15 钨极夹	12	NEA0326*	1/8G Connector 快插拐角
	NTD0004-10	Collet Φ1.0-14mm/53N16 钨极夹	13	QGJTM10X1*	M10X1 Gas Connector 气管接头
	NTD0004-16*	Collet Φ1.6-14mm/53N14 钨极夹	14	NBX0480	2 Pin Connector 2 芯插头

* Denotes Standard Build 表示标准配置，选配件须注明编号

WP 24W

额定值：180A DC 100% 暂载率。120A AC 100% 暂载率。
Rating： 180A DC 100% duty.120A AC 100% duty.




Model 型号		Length 长度		Part Number 编号	
WP 24W Tig Torch		4m		NSY1401	
Componetents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0021	Alumina Cup Gr.3-Φ4-16mm/53N23 陶瓷喷嘴		NTD0004-16*	Collet Φ1.6-14mm/53N14 钨极夹
	NTC0022*	Alumina Cup Gr.4-Φ6.4-16.5mm/53N24 陶瓷喷嘴		NTD0004-24	Collet Φ2.4-14mm/24C332 钨极夹
	NTC0023	Alumina Cup Gr.5-Φ8-15.6mm/53N25 陶瓷喷嘴	4	NTQ0004*	Gasket 绝缘环
	NTC0024	Alumina Cup Gr.6-Φ9.8-15.6mm/53N27 陶瓷喷嘴	5	NTG0024*	TIG24W Torch Body 枪头
	NTC0027	Alumina Cup Gr.4-Φ6.4-29mm/53N28 陶瓷喷嘴		NTG0224	TIG24WF Torch Body 柔性枪头
	NTC0028	Alumina Cup Gr.6-Φ9.8-29mm/53N26 陶瓷喷嘴	6	K01*	Trigger 扳机
2	NTE0004-05	Collet Body Φ0.5-12mm/53N17 钨极夹座	7	NTP0004*	Handle 手柄
	NTE0004-10	Collet Body Φ1.0-12mm/53N18 钨极夹座	8	NTH0064-B*	Cable Assembly 4m Long 电缆总成 4m
	NTE0004-16*	Collet Body Φ1.6-12mm/53N19 钨极夹座	9	NAU3019*	M12X1 Power Connector 水电接头
	NTE0004-24	Collet Body Φ2.4-12mm/24CB332 钨极夹座	10	QGJT3/8G*	3/8G Water Connector 水管接头
3	NTD0004-05	Collet Φ0.5-14mm/53N15 钨极夹	11	QGJT1/4G*	1/4G Gas Connector 气臂接头
	NTD0004-10	Collet Φ1.0-14mm/53N16 钨极夹	12	NBX0480*	2 Pin Connector 2 芯插头

* Denotes Standard Build 表示标准配置，选配件须注明编号

WP 25

额定值：250A DC 100% 暂载率。220A AC 100% 暂载率。
Rating: 250A DC 100% duty.220A AC 100% duty.




8

Model 型号		
Description 描述	Length 长度	Part Number 编号
WP 25 Tig Torch	4m	NSW1401

Componentents

No.	Part Number	Description	No.	Part Number	Description
1	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴		NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴		NTD0003-16	Collet Φ1.6-25mm/13N22 钨极夹
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴		NTD0003-20	Collet Φ2.0-25mm 钨极夹
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴		NTD0003-24	Collet Φ2.4-25mm/13N23 钨极夹
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴		NTD0003-32	Collet Φ3.2-25mm/13N24 钨极夹
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴	4	NTQ0001*	Gasket 绝缘环
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴	5	NTF0025*	TIG25 Torch Body 枪头
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴	6	K01*	Trigger 扳机
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴	7	NTP0004*	Handle 手柄
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴	8	NTH0064*	TIG20 Cable Assembly 4m Long 电缆总成 4m
	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴	9	NAU3019*	M12X1 Power Connector 水电接头
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴	10	QGJT3/8G*	3/8G Water Connector 水管接头
2	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座	11	QGJT1/4G*	1/4G Gas Connector 气管接头
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座	12	NBX0480*	2 Pin Connector 2 芯插头
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座			
	NTE0003-20	Collet Body Φ2.0-21mm 钨极夹座			
	NTE0003-24	Collet Body Φ2.4-21mm/13N28 钨极夹座			
	NTE0003-32	Collet Body Φ3.2-21mm/13N29 钨极夹座			
3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹			



* Denotes Standard Build 表示标准配置，选配件须注明编号

WP 26

额定值：200A DC 60% 暂载率。150A AC 60% 暂载率。
Rating: 200A DC 60% duty. 150A AC 60% duty.




9

Model 型号		
Description 描述	Length 长度	Part Number 编号
WP 26 Tig Torch	4m	NSK1401

Componentents

No.	Part Number	Description	No.	Part Number	Description
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴		NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴		NTD0001-48	Collet Φ4.8-50mm/30028 钨极夹
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴	4	NTQ0002*	Gasket 绝缘环
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴	5	NTF0026*	TIG26 Torch Body 枪头
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴		NTF0027	TIG26F Torch Body 柔性枪头
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴		NTF0126	TIG26V Torch Body 带阀门枪头
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴		NTF0127	TIG26VF Torch Body 带阀门柔性枪头
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴	6	NBW0056	Back Cap Medium 中柄帽
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座	7	K01*	Trigger 扳机
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	8	NTP0005	Handle 手柄
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	9	NTH0052*	TIG26 Cable Assembly 4m Long 电缆总成 4m
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座	10	NAU6026	M16X1.5 Power Connector 气电接头
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座		NAU3031*	M12X1 Power Connector 气电接头
	NTE0001-32	Collet Body Φ3.2-47mm/10N28 钨极夹座		NAU3024	3/8-24UNF Bolt 气电螺栓
	NTE0001-40	Collet Body Φ4.0-47mm/406488 钨极夹座	11	NBW0351*	Quick Connector Handle 快插把套
	NTE0001-48	Collet Body Φ4.8-47mm/30126 钨极夹座	12	NX2079*	50 mm² Power Adaptor 50mm² 快插接头
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	13	NEA0326*	1/8G Connector 快插拐角
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	14	QGJTM16X1.5	M16X1.5 Gas Connector 气管接头
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹		QGJT1/4G	1/4G Gas Connector 气管接头
	NTD0001-20	Collet Φ2.0-50mm 钨极夹		QGJTM10X1*	M10X1 Gas Connector 气管接头
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	15	NBX0480	2 Pin Connector 2 芯插头
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹			



* Denotes Standard Build 表示标准配置，选配件须注明编号

WP 12

额定值：500A DC 100% 暂载率。
Rating: 500A DC 100% duty.




Model 型号			Part Number 编号		
Description 描述		Length 长度			
WP 12 Tig Torch		4m	NSWP1401		
Componctents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm/57N75 陶瓷喷嘴	3	NTD0008-16	Collet Φ1.6-50mm/85Z14 钨极夹
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm/57N74 陶瓷喷嘴		NTD0008-24	Collet Φ2.4-50mm/85Z15 钨极夹
	NTC0119*	Alumina Cup Gr.10-Φ16-48mm/53N88 陶瓷喷嘴		NTD0008-32*	Collet Φ3.2-50mm/85Z16 钨极夹
	NTC0120	Alumina Cup Gr.12-Φ19-48mm/53N87 陶瓷喷嘴		NTD0008-40	Collet Φ4.0-50mm/85Z17 钨极夹
	NTC0066	Alumina Cup Gr.4-Φ6.5-32mm/14N57 陶瓷喷嘴		NTD0008-48	Collet Φ4.8-50mm/85Z18 钨极夹
	NTC0067	Alumina Cup Gr.5-Φ8-32mm/14N58 陶瓷喷嘴	4	NTQ0009*	Gasket 绝缘环
	NTC0068	Alumina Cup Gr.6-Φ9.5-32mm/14N59 陶瓷喷嘴	5	NTG0012	TIG12 Torch Body 枪头
	NTC0069	Alumina Cup Gr.7-Φ11-32mm/14N60 陶瓷喷嘴	6	NBW0069*	Back Cap Long 长柄帽
	NTC0050	Alumina Cup Gr.8-Φ12.5-32mm/14N61 陶瓷喷嘴		NBW0058	Back Cap Short 短柄帽
	NTC0051	Alumina Cup Gr.10-Φ16-32mm/14N61-10 陶瓷喷嘴	7	K01*	Trigger 扳机
	NTC0052	Alumina Cup Gr.12-Φ19-32mm/14N61-12 陶瓷喷嘴	8	NTP0007	Handle 手柄
2	NTE0008*	Collet Body 27mm/11WP65 钨极夹座	9	NTH0066	TIG12 Cable Assembly 4m Long 电缆总成 4m
	NTE0009S-16	Collet Body Φ1.6-50mm/11GL16 钨极夹座	10	NAU3031	M12X1 Power Connector 水电接头
	NTE0009S-24	Collet Body Φ2.4-50mm/11GL32 钨极夹座	11	QGJT3/8G	3/8G Water Connector 水管接头
	NTE0009S-32	Collet Body Φ3.2-50mm/11GL18 钨极夹座	12	QGJT1/4G	1/4G Gas Connector 气管接头
	NTE0009S-40	Collet Body Φ4.0-50mm/11GL53 钨极夹座	13	NBX0480	2 Pin Connector 2 芯插头
	NTE0009S-48	Collet Body Φ4.8-50mm/11GL36 钨极夹座			

* Denotes Standard Build 表示标准配置，选配件须注明编号

Klasik Range




易损件与国际标准一致。
Consumables compatible to the international standard.




有标准枪头、柔性枪头或带阀门的枪头等多种选择。
Available with valve, flexible torch bodies, flexible torch bodies with valve and "Free" without button.



人体工学设计，防滑，轻便，可靠，耐用。
Ergonomic ,lightweight and solid handle construction.



使用球头链接方式，转动更灵活。
Smooth revolving ball joint



可适配多种后尾接头。
Connections for all types of welding machines.



Technical Data 参数		KT 9	KT 17	KTW 18	
Cooling Method 冷却方式		Air-Cooled	Air-Cooled	Water-Cooled	
Rating : 额定电流 DC/AC		125A/95A	150A/125A	350A/270A	
Duty Cycle: 暂载率		60%	60%	100%	
Electrodes Φ: 钨棒直径		0.5-1.6mm	0.5-2.4mm	0.5-4.0mm	
Order Part No.		4M	NSA1407	NSF1407	NSR1407

Klasik Range



Technical Data 参数			KTW 20	KT 24	KTW 24	KTW 25	KT 26
Cooling Method 冷却方式			Water-Cooled	Air-Cooled	Water-Cooled	Water-Cooled	Air-Cooled
Rating : 额定电流 DC/AC			250A/220A	110A/95	180A/120A	250A/220A	200A/150A
Duty Cycle: 暂载率			100%	60%	100%	100%	60%
Electrodes Φ: 钨棒直径			0.5-3.2mm	0.5-2.4mm	0.5-2.4mm	0.5-3.2mm	0.5-4.0mm
Order Part No.		4M	NSU1407	NSP1407	NSY1407	NSW1407	NSK1407




Technical Data 参数		KTH 17		KTHW 18		KTH 26	
Cooling Method 冷却方式		Air-Cooled		Water-Cooled		Air-Cooled	
Rating : 额定电流 DC/AC		150A/125A		350A/270A		200A/150A	
Duty Cycle: 暂载率		60%		100%		60%	
Electrodes Φ: 钨棒直径		0.5-2.4mm		0.5-4.0mm		0.5-4.0mm	
Order Part No.		4M	NSF4427-K		NSR4427-K		NSK4427-K

KT 9

额定值：125A DC 60% 暂载率。95A AC 60% 暂载率。
Rating: 125A DC 60% duty. 95A AC 60% duty.



Model 型号			Part Number 编号		
Description 描述		Length 长度			
KT 9 Tig Torch		4m	NSA1407		
Components					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴	7	NBW0303*	Reduction 橡胶适配器
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴	8	NBX6611*	One Button Momentary Kit 单开关扳机总成
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴		NBX6615	One Button Momentary Kit + Potentiometer 电位开关
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴	9	NBX0620	PCB 信号转接电路板
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴	10	NTP0008-B*	Handle 手柄
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴	11	NBW0007*	Locking Nut 手柄锁紧环
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴	12	NBW0022*	Ball Joint 球形关节
	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴	13	NTH0064*	Tig 9 Cable 4m 电缆 4m
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴	14	NAU6026	M16X1.5 Power Connector 气电接头
2	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座		NAU3031*	M12X1 Power Connector 气电接头
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座	15	NBW0350	Power Adaptor Handle 快插把套
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座	16	NX2016	25 mm² Power Adaptor 25mm² 快插接头
3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹	17	NEA0326	1/8G Connector 快插拐角
	NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹	18	QGJTM16X1.5	M16X1.5 Gas Connector 气管接头
	NTD0003-16*	Collet Φ1.6-25mm/13N22 钨极夹		QGJT1/4G	1/4G Gas Connector 气管接头
4	NTQ0001*	Gasket 绝缘环		QGJTM10X1	M10X1 Gas Connector 气管接头
5	NTF009*	TIG9 Torch Body 枪头	19	NBX0480*	2 Pin Connector 2 芯插头
	NTF0010	TIG9F Torch Body 柔性枪头		NBX0480	




* Denotes Standard Build 表示标准配置，选配件须注明编号

KT 17

额定值：150A DC 60% 暂载率。125A AC 60% 暂载率。
Rating: 150A DC 60% duty. 125A AC 60% duty.



Model 型号			Part Number 编号		
Description 描述		Length 长度			
KT 17 Tig Torch		4m	NSF1407		
Components					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴		NBW0066	Back Cap Long 长柄帽
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴	7	NBW0303*	Reduction 橡胶适配器
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴	8	NBX6611*	One Button Momentary Kit 单开关扳机总成
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴		NBX6615	One Button Momentary Kit + Potentiometer 电位开关
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴	9	NBX0620	PCB 信号转接电路板
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴	10	NTP0008-B*	Handle 手柄
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座	11	NBW0007*	Locking Nut 手柄锁紧环
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	12	NBW0022*	Ball Joint 球形关节
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	13	NTH0066*	TIG17 Cable Assembly 4m Long 电缆总成 4m
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座	14	NAU6026	M16X1.5 Power Connector 气电接头
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座		NAU3031*	M12X1 Power Connector 气电接头
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹		NAU3024	3/8-24UNF Bolt 气电螺栓
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	15	NBW0351*	Power Adaptor Handle 快插把套
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	16	NX2079*	50 mm ² Power Adaptor 50mm ² 快插接头
	NTD0001-20	Collet Φ2.0-50mm 钨极夹	17	NEA0326*	1/8G Connector 快插拐角
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	18	QGJTM16X1.5	M16X1.5 Gas Connection 气管接头
4	NTQ0002*	Gasket 绝缘环		QGJT1/4G	1/4G Gas Connection 气管接头
5	NTF0017*	TIG17 Torch Body 枪头		QGJTM10X1*	M10X1 Gas Connection 气管接头
	NTF0022	TIG17F Torch Body 柔性枪头	19	NBX0480	2 Pin connector 2 芯插头



* Denotes Standard Build 表示标准配置，选配件须注明编号

KTW 18

额定值：350A DC 100% 暂载率。270A AC 100% 暂载率。
Rating： 350A DC 100% duty. 270A AC 100% duty.



Model 型号			Description 描述			Length 长度			Part Number 编号		
KTW 18 Tig Torch						4m			NSR1407		
Components											
No.	Part Number	Description	No.	Part Number	Description						
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴		NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹						
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴		NTD0001-48	Collet Φ4.8-50mm/30028 钨极夹						
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴	4	NTQ0002*	Gasket 绝缘环						
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴	5	NTG0018*	TIG18 Torch Body 枪头						
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴		NTG0118	TIG18F Torch Body 柔性枪头						
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴	6	NBW0056	Back Cap Medium 中柄帽						
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽						
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽						
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴	7	NBX6611*	One Button Momentary Kit 单开关扳机总成						
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成						
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座		NBX6613	Three Button Momentary Kit 三开关扳机总成						
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成						
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座		NBX6615	One Button Momentary Kit + Potentiometer 电位开关						
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座	8	NBX0620	PCB 信号转接电路板						
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座	9	NTP0008-B*	Handle 手柄						
	NTE0001-32	Collet Body Φ3.2-47mm/10N28 钨极夹座	10	NBW0007*	Locking Nut 手柄锁紧环						
	NTE0001-40	Collet Body Φ4.0-47mm/406488 钨极夹座	11	NBW0024*	Ball Joint 球形关节						
	NTE0001-48	Collet Body Φ4.8-47mm/30126 钨极夹座	12	NTH0088*	TIG18 Cable Assembly 4m Long 电缆总成 4m						
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	13	NAU3031*	M12X1 Power Connector 水电接头						
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	14	QGJT3/8G*	3/8G Water Connector 水管接头						
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	15	QGJT1/4G*	1/4G Gas Connector 气管接头						
	NTD0001-20	Collet Φ2.0-50mm 钨极夹	16	NBX0480	2 Pin Connector 2 芯插头						
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹									
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹									

* Denotes Standard Build 表示标准配置，选配件须注明编号



KTW 20

额定值：250A DC 100% 暂载率。220A AC 100% 暂载率。
Rating： 250A DC 100% duty.220A AC 100% duty.



Model 型号			Description 描述			Length 长度			Part Number 编号			
KTW 20 Tig Torch						4m			NSU1407			
Components												
No.	Part Number	Description				No.	Part Number	Description				
1	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴				4	NTQ0001*	Gasket 绝缘环				
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴				5	NTF0020*	TIG20 Torch Body 枪头				
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴					NTF0220	TIG20F Torch Body 柔性枪头				
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴				6	NBW0063*	Back Cap Long 长柄帽				
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴					NBW0064	Back Cap Medium 中柄帽				
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴					NBW0065	Back Cap Short 短柄帽				
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴				7	NBW0303*	Reduction 橡胶适配器				
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴				8	NBX6611*	One Button Momentary Kit 单开关扳机总成				
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴					NBX6612	Two Button Momentary Kit 双开关扳机总成				
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴					NBX6613	Three Button Momentary Kit 三开关扳机总成				
2	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴					NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成				
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴					NBX6615	One Button Momentary Kit + Potentiometer 电位开关				
	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座				9	NBX0620	PCB 信号转接电路板				
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座				10	NTP0008-B*	Handle 手柄				
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座				11	NBW0007*	Locking Nut 手柄锁紧环				
	NTE0003-20	Collet Body Φ2.0-21mm 钨极夹座				12	NBW0022*	Ball Joint 球形关节				
	NTE0003-24	Collet Body Φ2.4-21mm/13N28 钨极夹座				13	NTH0064*	TIG20 Cable Assembly 4m Long 电缆总成 4m				
	NTE0003-32	Collet Body Φ3.2-21mm/13N29 钨极夹座				14	NAU3019*	M12X1 Power Connector 水电接头				
	3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹				15	QGJT3/8G*	3/8G Water Connector 水管接头			
		NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹				16	QGJT1/4G*	1/4G Gas Connector 气管接头			
NTD0003-16		Collet Φ1.6-25mm/13N22 钨极夹				17	NBX0480	2 Pin Connector 2 芯插头				
NTD0003-20		Collet Φ2.0-25mm 钨极夹										
NTD0003-24		Collet Φ2.4-25mm/13N23 钨极夹										
NTD0003-32		Collet Φ3.2-25mm/13N24 钨极夹										

* Denotes Standard Build 表示标准配置，选配件须注明编号



KT 24

额定值：110A DC 60% 暂载率。95A AC 60% 暂载率。
Rating： 110A DC 60% duty. 95A AC 60% duty.



Model 型号					
Description 描述	Length 长度	Part Number 编号			
KT 24 Tig Torch	4m	NSP1407			
Componetents					
No.	Part Number	Description	No.	Part Number	Description
	NTC0021	Alumina Cup Gr.3-Φ4-16mm/53N23 陶瓷喷嘴	7	NBX6611*	One Button Momentary Kit 单开关扳机总成
	NTC0022*	Alumina Cup Gr.4-Φ6.4-16.5mm/53N24 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成
	NTC0023	Alumina Cup Gr.5-Φ8-15.6mm/53N25 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成
	NTC0024	Alumina Cup Gr.6-Φ9.8-15.6mm/53N27 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0027	Alumina Cup Gr.4-Φ6.4-29mm/53N28 陶瓷喷嘴		NBX6615	One Button Momentary Kit + Potentiometer 电位开关
	NTC0028	Alumina Cup Gr.6-Φ9.8-29mm/53N26 陶瓷喷嘴	8	NBX0620	PCB 信号转接电路板
	NTE0004-05	Collet Body Φ0.5-12mm/53N17 钨极夹座	9	NTP0008-B*	Handle 手柄
	NTE0004-10	Collet Body Φ1.0-12mm/53N18 钨极夹座	10	NBW0007*	Locking Nut 手柄锁紧环
	NTE0004-16*	Collet Body Φ1.6-12mm/53N19 钨极夹座	11	NBW0022*	Ball Joint 球形关节
	NTE0004-24	Collet Body Φ2.4-12mm/24CB332 钨极夹座	12	NTH0064-A*	Cable Assembly 4m Long 电缆总成 4m
	NTD0004-05	Collet Φ0.5-14mm/53N15 钨极夹	13	NAU3031*	M12X1 Power Connector 气电接头
	NTD0004-10	Collet Φ1.0-14mm/53N16 钨极夹	14	NBW0351*	Power Adaptor Handle 快插把套
	NTD0004-16*	Collet Φ1.6-14mm/53N14 钨极夹	15	NX2079*	50 mm² Power Adaptor 50mm² 快插接头
	NTD0004-24	Collet Φ2.4-14mm/24C332 钨极夹	16	NEA0326*	1/8G Connector 快插拐角
	NTQ0004*	Gasket 绝缘环	17	QGJTM10X1*	M10X1 Gas Connector 气管接头
	NTF0024*	TIG24 Torch Body 枪头	18	NBX0480	2 Pin Connector 2 芯插头
	NTF0224	TIG24F Torch Body 钨极夹			
	NBW0303*	Reduction 橡胶适配器			

* Denotes Standard Build 表示标准配置，选配件须注明编号

KTW 24

额定值：180A DC 100% 暂载率。120A AC 100% 暂载率。
Rating： 180A DC 100% duty.120A AC 100% duty.




Model 型号			
Description 描述		Length 长度	Part Number 编号
KTW 24 Tig Torch		4m	NSY1407
Componetents			
No.	Part Number	Description	No. Part Number Description
1	NTC0021	Alumina Cup Gr.3-Φ4-16mm/53N23 陶瓷喷嘴	6 NBW0303* Reduction 橡胶适配器
	NTC0022*	Alumina Cup Gr.4-Φ6.4-16.5mm/53N24 陶瓷喷嘴	7 NBX6611* One Button Momentary Kit 单开关扳机总成
	NTC0023	Alumina Cup Gr.5-Φ8-15.6mm/53N25 陶瓷喷嘴	NBX6612 Two Button Momentary Kit 双开关扳机总成
	NTC0024	Alumina Cup Gr.6-Φ9.8-15.6mm/53N27 陶瓷喷嘴	NBX6613 Three Button Momentary Kit 三开关扳机总成
	NTC0027	Alumina Cup Gr.4-Φ6.4-29mm/53N28 陶瓷喷嘴	NBX6614 4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0028	Alumina Cup Gr.6-Φ9.8-29mm/53N26 陶瓷喷嘴	NBX6615 One Button Momentary Kit + Potentiometer 电位开关
2	NTE0004-05	Collet Body Φ0.5-12mm/53N17 钨极夹座	8 NBX0620 PCB 信号转接电路板
	NTE0004-10	Collet Body Φ1.0-12mm/53N18 钨极夹座	9 NTP0008-B* Handle 手柄
	NTE0004-16*	Collet Body Φ1.6-12mm/53N19 钨极夹座	10 NBW0007* Locking Nut 手柄锁紧环
	NTE0004-24	Collet Body Φ2.4-12mm/24CB332 钨极夹座	11 NBW0022* Ball Joint 球形关节
3	NTD0004-05	Collet Φ0.5-14mm/53N15 钨极夹	12 NTH0064 Cable Assembly 4m Long 电缆总成 4m
	NTD0004-10	Collet Φ1.0-14mm/53N16 钨极夹	13 NAU3019* M12X1 Power Connector 水电接头
	NTD0004-16*	Collet Φ1.6-14mm/53N14 钨极夹	14 QGJT3/8G* 3/8G Water Connector 水管接头
	NTD0004-24	Collet Φ2.4-14mm/24C332 钨极夹	15 QGJT1/4G* 1/4G Gas Connector 气管接头
4	NTQ0004*	Gasket 绝缘环	16 NBX0480* 2 Pin Connector 2 芯插头
5	NTG0024*	TIG24W Torch Body 枪头	
	NTG0224	TIG24WF Torch Body 柔性枪头	

* Denotes Standard Build 表示标准配置，选配件须注明编号

KTW 25

额定值：250A DC 100% 暂载率。220A AC 100% 暂载率。
Rating: 250A DC 100% duty.220A AC 100% duty.



Model 型号

Description 描述	Length 长度	Part Number 编号
KTW 25 Tig Torch	4m	NSW1407

Componentents

No.	Part Number	Description	No.	Part Number	Description
	NTC0012	Alumina Cup Gr.4-Φ6.4-30mm/13N08 陶瓷喷嘴		NTD0003-20	Collet Φ2.0-25mm 钨极夹
	NTC0013*	Alumina Cup Gr.5-Φ8-30mm/13N09 陶瓷喷嘴		NTD0003-24	Collet Φ2.4-25mm/13N23 钨极夹
	NTC0014	Alumina Cup Gr.6-Φ9.8-30mm/13N10 陶瓷喷嘴		NTD0003-32	Collet Φ3.2-25mm/13N24 钨极夹
	NTC0015	Alumina Cup Gr.7-Φ11.2-30mm/13N11 陶瓷喷嘴	4	NTQ0001*	Gasket 绝缘环
	NTC0016	Alumina Cup Gr.8-Φ12.7-30mm/13N12 陶瓷喷嘴	5	NTF0025*	TIG25 Torch Body 枪头
	NTC0017	Alumina Cup Gr.10-Φ15.7-30mm/13N13 陶瓷喷嘴	6	NBW0303*	Reduction 橡胶适配器
	NTC0096	Alumina Cup Gr.4L-Φ6.5-48mm/796F71 陶瓷喷嘴	7	NBX6611*	One Button Momentary Kit 单开关扳机总成
	NTC0097	Alumina Cup Gr.5L-Φ8-48mm/796F72 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成
	NTC0098	Alumina Cup Gr.6L-Φ9.5-48mm/796F73 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成
	NTC0101	Alumina Cup Gr.4XL-Φ6.5-63mm/796F75 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0102	Alumina Cup Gr.5XL-Φ8-63mm/796F76 陶瓷喷嘴		NBX6615	One Button Momentary Kit + Potentiometer 电位开关
	NTC0103	Alumina Cup Gr.4XXL-Φ6.5-89mm/796F79 陶瓷喷嘴	8	NBX0620	PCB 信号转接电路板
2	NTE0003-05	Collet Body Φ0.5-21mm/13N25 钨极夹座	9	NTP0008-B*	Handle 手柄
	NTE0003-10	Collet Body Φ1.0-21mm/13N26 钨极夹座	10	NBW0007*	Locking Nut 手柄锁紧环
	NTE0003-16*	Collet Body Φ1.6-21mm/13N27 钨极夹座	11	NBW0022*	Ball Joint 球形关节
	NTE0003-20	Collet Body Φ2.0-21mm 钨极夹座	12	NTH0064*	TIG20 Cable Assembly 4m Long 电缆总成 4m
	NTE0003-24	Collet Body Φ2.4-21mm/13N28 钨极夹座	13	NAU3019*	M12X1 Power Connector 水电接头
	NTE0003-32	Collet Body Φ3.2-21mm/13N29 钨极夹座	14	QGJT3/8G*	3/8G Water Connector 水管接头
3	NTD0003-05	Collet Φ0.5-25mm/13N20 钨极夹	15	QGJT1/4G*	1/4G Gas Connector 气管接头
	NTD0003-10	Collet Φ1.0-25mm/13N21 钨极夹	16	NBX0480*	2 Pin Connector 2 芯插头
	NTD0003-16	Collet Φ1.6-25mm/13N22 钨极夹			

* Denotes Standard Build 表示标准配置，选配件须注明编号




KT 26

额定值：200A DC 60% 暂载率。150A AC 60% 暂载率。
Rating: 200A DC 60% duty. 150A AC 60% duty.




Model 型号		Length 长度		Part Number 编号	
Description 描述					
KT 26 Tig Torch		4m		NSK1407	
Componentents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0002	Alumina Cup Gr.4-Φ6.4-47mm/10N50 陶瓷喷嘴	6	NBW0056	Back Cap Medium 中柄帽
	NTC0003	Alumina Cup Gr.5-Φ6.4-47mm/10N49 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽
	NTC0004	Alumina Cup Gr.6-Φ6.4-47mm/10N48 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽
	NTC0005*	Alumina Cup Gr.7-Φ6.4-47mm/10N47 陶瓷喷嘴	7	NBX6611*	One Button Momentary Kit 单开关扳机总成
	NTC0006	Alumina Cup Gr.8-Φ6.4-47mm/10N46 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成
	NTC0007	Alumina Cup Gr.10-Φ6.4-47mm/10N45 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成
	NTC0008	Alumina Cup Gr.12-Φ6.4-50mm/10N44 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0091	Alumina Cup Gr.5L-Φ6.4-76mm/10N49L 陶瓷喷嘴		NBX6615	One Button Momentary Kit + Potentiometer 电位开关
	NTC0092	Alumina Cup Gr.6L-Φ6.4-76mm/10N48L 陶瓷喷嘴	8	NBX0620	PCB 信号转接电路板
	NTC0093	Alumina Cup Gr.7L-Φ6.4-76mm/10N47L 陶瓷喷嘴	9	NTP0008-B*	Handle 手柄
2	NTE0001-05	Collet Body Φ0.5-47mm/10N29 钨极夹座	10	NBW0007*	Locking Nut 手柄锁紧环
	NTE0001-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	11	NBW0024*	Ball Joint 球形关节
	NTE0001-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	12	NTH0052*	TIG26 Cable Assembly 4m Long 电缆总成 4m
	NTE0001-20	Collet Body Φ2.0-47mm 钨极夹座	13	NAU6026	M16X1.5 Power Connector 气电接头
	NTE0001-24*	Collet Body Φ2.4-47mm/10N32 钨极夹座		NAU3031*	M12X1 Power Connector 气电接头
	NTE0001-32	Collet Body Φ3.2-47mm/10N28 钨极夹座		NAU3024	3/8-24UNF Bolt 气电螺栓
	NTE0001-40	Collet Body Φ4.0-47mm/406488 钨极夹座	14	NBW0351*	Quick Connector Handle 快插把套
	NTE0001-48	Collet Body Φ4.8-47mm/30126 钨极夹座	15	NX2079*	50 mm² Power Adaptor 50mm² 快插接头
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	16	NEA0326*	1/8G Connector 快插拐角
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	17	QGJTM16X1.5	M16X1.5 Gas Connector 气管接头
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹		QGJT1/4G	1/4G Gas Connector 气管接头
	NTD0001-20	Collet Φ2.0-50mm 钨极夹		QGJTM10X1*	M10X1 Gas Connector 气管接头
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	18	NBX0480	2 Pin Connector 2 芯插头
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹			
	NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹			
	NTD0001-48	Collet Φ4.8-50mm/30028 钨极夹			
4	NTQ0002*	Gasket 绝缘环			
5	NTF0026*	TIG26 Torch Body 枪头			
	NTF0027	TIG26F Torch Body 柔性枪头			
	NTF0126	TIG26V Torch Body 带阀门枪头			
	NTF0127	TIG26VF Torch Body 带阀门柔性枪头			

* Denotes Standard Build 表示标准配置，选配件须注明编号



KTH 17

额定值：150A DC 60% 暂载率。125A AC 60% 暂载率。
Rating：150A DC 60% duty. 125A AC 60% duty.



Model 型号			Description 描述			Length 长度			Part Number 编号		
KTH 17 Tig Torch						4m			NSF4427-K		
Components											
No.	Part Number	Description	No.	Part Number	Description						
	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽						
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽						
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴	6	ES0018-B*	Cold Wire Adaptor Assembly 送丝支架						
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴	7	NBW0303*	Reduction 橡胶适配器						
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴	8	NBX6611*	One Button Momentary Kit 单开关扳机总成						
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴		NBX6612	Two Button Momentary Kit 双开关扳机总成						
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴		NBX6613	Three Button Momentary Kit 三开关扳机总成						
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴		NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成						
	NTE0009-05	Collet Body Φ0.5-47mm/10N29 钨极夹座		NBX6615	One Button Momentary Kit + Potentiometer 电位开关						
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	9	NBX0620	PCB 信号转接电路板						
	NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	10	NTP0008-B*	Handle 手柄						
	NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座	11	NBW0007*	Locking Nut 手柄锁紧环						
	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	12	NBW0024*	Ball Joint 球形关节						
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	13	NTH0087H*	TIG17 Cable Assembly 4m Long 电缆总成 4m						
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	14	AR0052*	Euro Plug 欧式内芯						
	NTD0001-20	Collet Φ2.0-50mm 钨极夹	15	NX0022*	50 mm ² Dinse Plug 50mm ² 快插接头						
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	16	NBX0480	2 Pin connector 2 芯插头						
	NTF0017*	TIG17 Torch Body 枪头	17	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头						
	NTF0022	TIG17F Torch Body 柔性枪头									
	NTF0117	TIG17V Torch Body 带阀门枪头									
	NTF0118	TIG17VF Torch Body 带阀门柔性枪头									
	NBW0056	Back Cap Medium 中柄帽									




* Denotes Standard Build 表示标准配置，选配件须注明编号

KLASIK SERIES


KTHW 18

额定值：350A DC 100% 暂载率。270A AC 100% 暂载率。
Rating：350A DC 100% duty. 270A AC 100% duty.



Model 型号			Description 描述			Length 长度			Part Number 编号								
KTHW 18 Tig Torch						4m			NSR4427-K								
Components																	
No.	Part Number	Description							No.	Part Number	Description						
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴							6	ES0018-B*	Cold Wire Adaptor Assembly 送丝支架						
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴							7	NBX6611*	One Button Momentary Kit 单开关扳机总成						
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴								NBX6612	Two Button Momentary Kit 双开关扳机总成						
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴								NBX6613	Three Button Momentary Kit 三开关扳机总成						
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴								NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成						
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴								NBX6615	One Button Momentary Kit + Potentiometer 电位开关						
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴							8	NBX0620	PCB 信号转接电路板						
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴							9	NTP0008-B*	Handle 手柄						
2	NTE0009-05	Collet Body Φ0.5-47mm/10N29 钨极夹座							10	NBW0007*	Locking Nut 手柄锁紧环						
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座							11	NBW0024*	Ball Joint 球形关节						
	NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座							12	NTH0088H*	TIG26 Cable Assembly 4m Long 电缆总成 4m						
	NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座							13	AR0052*	Euro Plug 欧式内芯						
	NTE0009-32	Collet Body Φ3.2-47mm/10N28 钨极夹座							14	FA3020 (Red)	Water Feed Hose 通水快速插头						
	NTE0009-40	Collet Body Φ4.0-47mm/406488 钨极夹座							15	NX2079*	50 mm ² Dinse Plug 50mm ² 快插接头						
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹							16	FA3020 (Blue)	Water Return Hose 通水快速插头						
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹							17	NBX0480	2 Pin connector 2 芯插头						
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹							18	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头						
	NTD0001-20	Collet Φ2.0-50mm 钨极夹															
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹															
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹															
	NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹															
4	NTG0018*	TIG18 Torch Body 枪头															
	NTG0118	TIG18F Torch Body 柔性枪头															
5	NBW0056	Back Cap Medium 中柄帽															
	NBW0066*	Back Cap Long 长柄帽															
	NBW0067	Back Cap Short 短柄帽															

The diagram illustrates the cable assembly components. Callout 12 points to the TIG26 Cable Assembly. Callout 17 points to the Cold Wire Adaptor Assembly. Callout 18 points to the Handle. Callout 16 points to the Euro Plug.



* Denotes Standard Build 表示标准配置，选配件须注明编号

KTH 26

额定值：200A DC 60% 暂载率。150A AC 60% 暂载率。
Rating： 200A DC 60% duty. 150A AC 60% duty.

Model 型号			Description 描述			Length 长度			Part Number 编号		
KTH 26 Tig Torch						4m			NSK4427-K		
Components											
No.	Part Number	Description	No.	Part Number	Description						
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴	5	NTF0027	TIG26F Torch Body 柔性枪头						
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴		NTF0126	TIG26V Torch Body 带阀门枪头						
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴		NTF0127	TIG26VF Torch Body 带阀门柔性枪头						
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴		NBW0056	Back Cap Medium 中柄帽						
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽						
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽						
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴		6	ES0018-B*	Cold Wire Adaptor Assembly 送丝支架					
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴		7	NBX6611*	One Button Momentary Kit 单开关扳机总成					
	2	NTE0009-05		Collet Body Φ0.5-47mm/10N29 钨极夹座	NBX6612	Two Button Momentary Kit 双开关扳机总成					
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座		NBX6613	Three Button Momentary Kit 三开关扳机总成						
NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	NBX6614	4 Button Rocker Momentary Kit 双推杆开关扳机总成								
NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座	NBX6615	One Button Momentary Kit + Potentiometer 电位开关								
NTE0009-32	Collet Body Φ3.2-47mm/10N28 钨极夹座	8	NBX0620	PCB 信号转接电路板							
NTE0009-40	Collet Body Φ4.0-47mm/406488 钨极夹座	9	NTP0008-B*	Handle 手柄							
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	10	NBW0007*	Locking Nut 手柄锁紧环						
NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	11	NBW0024*	Ball Joint 球形关节							
NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	12	NTH0089H*	TIG26 Cable Assembly 4m Long 电缆总成 4m							
NTD0001-20	Collet Φ2.0-50mm 钨极夹	13	AR0052*	Euro Plug 欧式内芯							
NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	14	NX0022*	50 mm ² Dinse Plug 50mm ² 快插接头							
NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹	15	NBX0480	2 Pin connector 2 芯插头							
NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹	16	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头							

* Denotes Standard Build 表示标准配置，选配件须注明编号

Handle and Switches

手柄及开关模块

These module/switch options are available as an extension on a standard Klasik-Tig torch. Please ask for connection details as this depends on used welding machine.
这些模块/开关选项可作为标准Klasik-Tig氩弧焊枪的扩展。请根据所用焊机咨询相关模块使用详情。



Part Number	Description
零件号	描述
1	NBW0303 Reduction 橡胶适配器
2	NTP0008-B Handle 手柄
3	NBW0007 Locking Nut 手柄锁紧环
4	NBW0022 Small Ball Joint Tig 小号球形关节三件套
5	NBW0023 Connection Set(5-parts) for neoprene/leather 皮革与橡胶外皮链接小号五件套
6	NBW0024 Large Ball Joint Tig 大号球形关节三件套
7	NBW0025 Connection Set(5-parts) for neoprene/leather 皮革与橡胶外皮链接大号五件套
8	NBX6611* One Button Momentary Kit 单开关扳机总成
9	NBX6612 Two Button Momentary Kit 双开关扳机总成
10	NBX6613 Three Button Momentary Kit 三开关扳机总成
11	NBX6614 4 Button Rocker Momentary Kit 双推杆开关扳机总成
12	NBX6615 One Button Momentary Kit + Potentiometer 单按键电位器开关扳机总成
13	NBX0620 PCB 信号转接电路板

Magnifik Range



人体工程学设计，轻便，可靠，耐用，
只用一个螺丝。
双色包胶。

枪头可旋转，双色包胶。
垂直加弧度的设计，可以保证使用者不同的握姿。

开关系统有很好的防尘、防水功能。
控制模块有多样性选择。

配件寿命长。

有大小两种手柄。

镀金的弹性插针的接触模块。

柔润平滑的连接方式。

(1) Ergonomic, lightweight, durable and solid handle construction, with single screw assembly.

(2) Integrated soft rubber handle grips ensure optimal grip pressure.

(3) Many switch options available.

(4) Rotatable torch body,able to adjust welding angles.

(5) Vertically curved front cap with grip lines for comfortable and stable pen grip.

(6) Smooth revolving ball joint.

(7) Available in two handle sizes.

(8) Gold plated spring-pin contacts for optimal contact of switch and machine.

(9) Switch system that keeps dirt and water away from the PCB.

(10) Long life consumables.



Technical Data 参数			MTW 35	MTW45	MTHW 17	MTHW 18	MTHW 26
Cooling Method 冷却方式			Water-Cooled	Water Cooled	Air-Cooled	Water-Cooled	Air-Cooled
Rating: DC/AC			320A/230A	450A/360A	150A/125A	350A/270A	200A/150A
Duty Cycle: 暂载率			100%	100%	60%	100%	60%
Wire Size: 焊丝直径			-	-	0.5-2.4mm	0.5-4.0mm	0.5-4.0mm
Order Part No.		4M	-	-	NSF4427-M	NSR4427-M	NSK4427-M

MTW 35

额定值：320A DC 230A AC/DC, 100% 暂载率。
Rating: 320A DC 230A AC/DC, 100% duty.



Model 型号		
Description 描述	End 后端	Part Number 编号
MTW 30-4M	M12x1	MTW30-4600
	3/8G	MTW 30-4800
	30-50mm ²	MTW 30-4650
MTW 30-8M	M12x1	MTW30-8600
	3/8G	MTW 30-8800
	30-50mm ²	MTW 30-8650

Components 部件					
No.	Part Number	Description	No.	Part Number	Description
序号	零件号	描述	序号	零件号	描述
1	520700	Torch Body Standard 枪头	15	453752	Leather Sheating 23mm L=50cm 护套
2	500400	Heat Shield 垫圈	16	501293	Connection Set (5-parts) For Neoprene/Leather 23mm 橡胶及皮革连接套 23mm
3	500342	41V33 Back Cap Short 41V33 短柄帽	17	453790	Neoprene Sheating 21mm p/mtr 橡胶套
4	500344	41V35 Back Sap medium 41V35 中柄帽	18	306550	Switch cable 4mtr (QuickConnect) 4m 开关线
5	500340	41V24 Back Sap long 41V24 长柄帽		306552	Switch cable 8mtr (QuickConnect) 8m 开关线
6	500360	98W77 O-ring 98W77 O 形圈	19	S60430400	Power/Water Cable 4mtr M12x1
7	500658	13N23 Collet 2.4mm 13N23 钨极夹 2.4mm		S60430422	Power/Water Cable 4mtr 3/8G
8	500828	45V44 Gas Lens 2.4mm 45V44 气筛 2.4mm		S60430800	Power/Water Cable 8mtr M12x1
9	500564	53N60 Gas Lens Cup 9.5mm Gr. 6		S60430822	Power/Water Cable 8mtr 3/8G
10	500504	13N10 Ceramic Cup 9.5mm Gr. 6 陶瓷嘴	20	500890	Insulation Boot 绝缘套
11	500758	13N28 Collet Body 2.4mm 钨极夹座	21	306545	Locking clip (QuickConnect) 快插锁箍
12	N8X9510	Switch Module 1-Button complete 开关	22	306559	Switch Cable End Without Plug (Quick Connect)
13	N8X9900	Handle complete with 1-Button Switch 手柄			开关线不带插接头
14	509200	Ball-And-Socket Joint With Connection Ring 球形接头			



* Denotes Standard Build 表示标准配置，选配件须注明编号

MTW 45

额定值：450A DC 360A AC/DC, 100% 暂载率。
Rating: 450A DC 360A AC/DC, 100% duty.




Model 型号		
Description 描述	End 后端	Part Number 编号
MTW 45-4M	M12x1	MTW45-4600
	3/8G	MTW 45-4800
	9/16UNF	MTW 45-4900
	30-50mm ²	MTW 45-4650
MTW 45-8M	M12x1	MTW45-8600
	3/8G	MTW 45-8800
	9/16UNF	MTW 45-8900
	30-50mm ²	MTW 45-8650

Components 部件					
No.	Part Number	Description	No.	Part Number	Description
序号	零件号	描述	序号	零件号	描述
1	502051	Torch Body 枪头	14	501298	Connection set (5-parts) for neoprene/leather 23mm 橡胶及皮革连接套 23mm
2	502210	0314007 O-ring O 形圈	15	453780	Neoprene sheating 25mm p/mtr 护套
3	502070	Back cap long 长柄帽	16	306550	Switch cable 4mtr (QuickConnect) 4m 开关线
4	502072	Back cap short 短柄帽		306552	Switch cable 8mtr (QuickConnect) 8m 开关线
5	502554	0314102 Collet 2,4mm	17	S88000400	Power/water cable 4mtr M12x1
6	502650	0314200 Collet body 钨极夹座		S88000422	Power/water cable 4mtr 3/8G
7	502700	0314300 Gas lens 气筛		S88000425	Power/water cable 4mtr 9/16" UNF
8	502400	0314201 Ceramic cup 9,5mm 陶瓷嘴		S88000800	Power/water cable 8mtr M12x1
9	502450	0314301 Gas lens cup 9,5mm		S88000822	Power/water cable 8mtr 3/8G
10	N8X9510	Switch Module 1-Button complete 开关		S88000825	Power/water cable 8mtr 9/16" UNF
11	N8x9950	Handle complete with 1-Button Switch 手柄	18	500890	Insulation boot 绝缘套
12	509210	Ball-And-Socket Joint With Connection Ring 球形接头	19	306545	Locking clip (QuickConnect) 快插锁箍
13	453756	Leather Sheating 27mm L=50cm 护套	20	306559	Switch Cable End Without Plug (Quick Connect) 开关线不带插接头

(20)




(16)



* Denotes Standard Build 表示标准配置，选配件须注明编号

MTH 17

额定值：150A DC 60% 暂载率。125A AC 60% 暂载率。
Rating：150A DC 60% duty. 125A AC 60% duty.



Model 型号		Length 长度		Part Number 编号	
Description 描述					
MTH 17 TIG Torch		4m		NSF4427-H	


Componentents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴		NBW0066*	Back Cap Long 长柄帽
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴	6	ES0018-B*	Cold Wire Adaptor Assembly 送丝支架
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴	7	NBW0303*	Reduction 橡胶适配器
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴	8	8X9510	One Button Momentary Kit 单开关扳机总成
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴		8X9520	Two Button Momentary Kit 双开关扳机总成
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴		8X9530	Three Button Momentary Kit 三开关扳机总成
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴		8X9550*	4 Button Rocker Momentary Kit 双推杆开关扳机总成
2	NTE0009-05	Collet Body Φ0.5-47mm/10N29 钨极夹座		8X9570	One Button Momentary Kit + Potentiometer 电位开关
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	9	8X9950*	Handle 手柄
	NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	10	NBW0007*	Locking Nut 手柄锁紧环
	NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座	11	NBW0024*	Ball Joint 球形关节
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	12	NTH0087H*	TIG17 Cable Assembly 4m Long 电缆总成 4m
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	13	AR0052*	Euro Plug 欧式内芯
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	14	NX2079*	50 mm ² Dinse Plug 50mm ² 快插接头
	NTD0001-20	Collet Φ2.0-50mm 钨极夹	15	NBX0480	2 Pin connector 2 芯插头
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹	16	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头
4	NTF0017*	TIG17 Torch Body 枪头			
	NTF0022	TIG17F Torch Body 柔性枪头			
	NTF0117	TIG17V Torch Body 带阀门枪头			
	NTF0118	TIG17VF Torch Body 带阀门柔性枪头			
5	NBW0056	Back Cap Medium 中柄帽			



* Denotes Standard Build 表示标准配置，选配件须注明编号


MTHW 18

额定值：350A DC 100% 暂载率。270A AC 100% 暂载率。
Rating：350A DC 100% duty. 270A AC 100% duty.



Model 型号		Length 长度		Part Number 编号	
Description 描述					
MTHW 18 TIG Torch		4m		NSR4427-H	


Componentents					
No.	Part Number	Description	No.	Part Number	Description
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴		NBW0067	Back Cap Short 短柄帽
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴	6	ES0018-B	Cold Wire Adaptor Assembly 送丝支架
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴	7	8X9510	One Button Momentary Kit 单开关扳机总成
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴		8X9520	Two Button Momentary Kit 双开关扳机总成
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴		8X9530	Three Button Momentary Kit 三开关扳机总成
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴		8X9550	4 Button Rocker Momentary Kit 双推杆开关扳机总成
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴		8X9570	One Button Momentary Kit + Potentiometer 电位开关
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴	8	8X9950*	Handle 手柄
2	NTE0009-05	Collet Body Φ0.5-47mm/10N29 钨极夹座	9	NBW0007*	Locking Nut 手柄锁紧环
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座	10	NBW0024*	Ball Joint 球形关节
	NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座	11	NTH0088H*	TIG18 Cable Assembly 4m Long 电缆总成 4m
	NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座	12	AR0052*	Euro Plug 欧式内芯
	NTE0009-32	Collet Body Φ3.2-47mm/10N28 钨极夹座	13	FA3020 (Red)	Water Feed Hose 通水快速插头
	NTE0009-40	Collet Body Φ4.0-47mm/406488 钨极夹座	14	NX2079*	50 mm ² Dinse Plug 50mm ² 快插接头
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹	15	FA3020 (Blue)	Water Return Hose 通水快速插头
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹	16	NBX0480	2 Pin connector 2 芯插头
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹	17	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头
	NTD0001-20	Collet Φ2.0-50mm 钨极夹			
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹			
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹			
	NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹			



* Denotes Standard Build 表示标准配置，选配件须注明编号

MTH 26

额定值：200A DC 60% 暂载率。150A AC 60% 暂载率。
Rating: 200A DC 60% duty. 150A AC 60% duty.



Model 型号			Description 描述			Length 长度			Part Number 编号		
			MTH 26 TIG Torch			4m			NSK4427-H		
Componentents											
No.	Part Number	Description				No.	Part Number	Description			
1	NTC0117	Alumina Cup Gr.6-Φ9.5-48mm 陶瓷喷嘴				5	NTF0027	TIG26F Torch Body 柔性枪头			
	NTC0118	Alumina Cup Gr.8-Φ12.5-48mm 陶瓷喷嘴					NTF0126	TIG26V Torch Body 带阀门枪头			
	NTC0119	Alumina Cup Gr.10-Φ16-48mm 陶瓷喷嘴					NTF0127	TIG26VF Torch Body 带阀门柔性枪头			
	NTC0120	Alumina Cup Gr.12-Φ19-48mm 陶瓷喷嘴				5	NBW0056*	Back Cap Medium 中柄帽			
	NTC0117L	Alumina Cup Gr.6L-Φ9.5-70mm 陶瓷喷嘴					NBW0066	Back Cap Long 长柄帽			
	NTC0118L	Alumina Cup Gr.8L-Φ12.5-70mm 陶瓷喷嘴					NBW0067	Back Cap Short 短柄帽			
	NTC0119L	Alumina Cup Gr.10L-Φ16-70mm 陶瓷喷嘴				6	ES0018-B	Cold Wire Adaptor Assembly 送丝支架			
	NTC0120L	Alumina Cup Gr.12L-Φ19-70mm 陶瓷喷嘴				7	8X9510*	One Button Momentary Kit 单开关扳机总成			
	NTE0009-05	Collet Body Φ0.5-47mm/10N29 钨极夹座					8X9520	Two Button Momentary Kit 双开关扳机总成			
	NTE0009-10	Collet Body Φ1.0-47mm/10N30 钨极夹座					8X9530	Three Button Momentary Kit 三开关扳机总成			
NTE0009-16	Collet Body Φ1.6-47mm/10N31 钨极夹座					8X9550	4 Button Rocker Momentary Kit 双推杆开关扳机总成				
NTE0009-24	Collet Body Φ2.4-47mm/10N32 钨极夹座					8X9570	One Button Momentary Kit + Potentiometer 电位开关				
NTE0009-32	Collet Body Φ3.2-47mm/10N28 钨极夹座				8	8X9950	Handle 手柄				
NTE0009-40	Collet Body Φ4.0-47mm/406488 钨极夹座				9	NBW0007*	Locking Nut 手柄锁紧环				
3	NTD0001-05	Collet Φ0.5-50mm/10N21 钨极夹				10	NBW0024*	Ball Joint 球形关节			
	NTD0001-10	Collet Φ1.0-50mm/10N22 钨极夹				11	NTH0089H*	TIG26 Cable Assembly 4m Long 电缆总成 4m			
	NTD0001-16	Collet Φ1.6-50mm/10N23 钨极夹				12	AR0052*	Euro Plug 欧式内芯			
	NTD0001-20	Collet Φ2.0-50mm 钨极夹				13	NX2079*	50 mm ² Dinse Plug 50mm ² 快插接头			
	NTD0001-24*	Collet Φ2.4-50mm/10N24 钨极夹				14	NBX0480	2 Pin connector 2 芯插头			
	NTD0001-32	Collet Φ3.2-50mm/10N25 钨极夹				15	NX0020	10-25 mm ² Dinse Plug 10-25mm ² 快插接头			
	NTD0001-40	Collet Φ4.0-50mm/54N20 钨极夹									
	NTF0026*	TIG26 Torch Body 枪头									



* Denotes Standard Build 表示标准配置，选配件须注明编号

Switches

开关模块

These module/switch options are available as an extension on a standard Magnifik-Tig torch. Please ask for connection details as this depends on used welding machine.
这些模块/开关选项可作为标准Magnifik-Tig氩弧焊枪的扩展。请根据所用焊机咨询相关模块使用详情。



No.	Part Number	Description
序号	零件号	描述
1	N8X9510	1-Button switch complete - Momentary switch
2	N8X9560	Lamelle switch complete - Momentary switch
3	N8X9520	2-Button switch complete
		Momentary switch with Up / Down application
4	N8X9530	3-Button switch complete
		Momentary or Latching switch with Up / Down application
5	N8X9550	4-Button Rocker switch complete
		Latching switch with Up / Down application
6	N8X9570	1-Button Potentiometer switch 10 kOhm complete
		Momentary switch with Potentiometer

TIG17/18/26



Consumables					
No.	Part Number	Description	No.	Part Number	Description
1	NBW0056	Medium Back Cap	36	NTC0120XL	Gas L.Alumina Cup Gr.6-φ19
2	NBW0066	Long Back Cap /57Y02	37	NTD0001-05	Collet φ0.5mm 10N21
3	NBW0067	Shot Cap /57Y04	38	NTD0001-10	Collet φ1.0mm 10N22
4	NEA0130	O-Ring	39	NTD0001-16	Collet φ1.6mm 10N23
5	NTC0002	Alumina Cup Gr.4-φ6.4/10N50	40	NTD0001-20	Collet φ2.0mm
6	NTC0003	Alumina Cup Gr.5-φ8.0/10N49	41	NTD0001-24	Collet φ2.4mm 10N24
7	NTC0004	Alumina Cup Gr.6-φ9.8/10N48	42	NTD0001-32	Collet φ3.2mm 10N25
8	NTC0005	Alumina Cup Gr.7-φ11.2/10N47	43	NTD0001-40	Collet φ4.0mm 54N20
9	NTC0006	Alumina Cup Gr.8-φ12.74/10N46	44	NTD0001-48	Collet φ4.8mm 30028
10	NTC0007	Alumina Cup Gr.10-φ15.7/10N45	45	NTD0022-10	Collet φ1.0mm-Length 52mm
11	NTC0008	Alumina Cup Gr.12-φ19/10N44	46	NTD0022-16	Collet φ1.6mm Length 52mm
12	NTC0031	Gas L.Alumina Cup Gr.4-φ6.4/54N18	47	NTD0022-24	Collet φ2.4mm Length 52mm
13	NTC0032	Gas L.Alumina Cup Gr.5-φ8.0/54N17	48	NTD0022-32	Collet φ3.2mm Length 52mm
14	NTC0033	Gas L.Alumina Cup Gr.6-φ9.8/54N16	49	NTD0022-40	Collet φ4.0mm Length 52mm
15	NTC0034	Gas L.Alumina Cup Gr.7-φ11.2/54N15	50	NTE0001-05	Collet Body φ0.5mm 10N29
16	NTC0035	Gas L.Alumina Cup Gr.8-φ12.7/54N14	51	NTE0001-10	Collet Body φ1.0mm 10N30
17	NTC0036	Gas L.Alumina Cup Gr.11-φ19/54N19L	52	NTE0001-16	Collet Body φ1.6mm 10N31
18	NTC0037	Gas L.Alumina Cup Gr.Short-φ17.2/54N19	53	NTE0001-24	Collet Body φ2.4mm 10N32
19	NTC0086	Gas L.Alumina Cup Gr.5-φ6.4 76mm/54N17L	54	NTE0001-32	Collet Body φ3.2mm 10N28
20	NTC0087	Gas L.Alumina Cup Gr.6-φ9.5 76mm/54N16L	55	NTE0001-40	Collet Body φ4.0mm 406488
21	NTC0088	Gas L.Alumina Cup Gr.7-φ11.0 76mm/54N15L	56	NTE0001-48	Collet Body φ4.8mm 30126
22	NTC0091	Gas L.Alumina Cup Gr.5-φ8.0 76mm/10N49L	57	NTE0006-05	Collet Body G.Lens 0.5mm 45V29
23	NTC0092	Gas L.Alumina Cup Gr.6-φ9.5 76mm/10N48L	58	NTE0006-10	Collet Body G.Lens 1.0mm 45V24
24	NTC0093	Gas L.Alumina Cup Gr.7-φ11.0 76mm/10N47L	59	NTE0006-16	Collet Body G.Lens 1.6mm 45V25
25	NTC0117	Gas L.Alumina Cup Gr.6-φ9.5	60	NTE0006-24	Collet Body G.Lens 2.4mm 45V26
26	NTC0118	Gas L.Alumina Cup Gr.6-φ12.5	61	NTE0006-32	Collet Body G.Lens 3.2mm 45V27
27	NTC0119	Gas L.Alumina Cup Gr.6-φ16	62	NTE0006-40	Collet Body G.Lens 4.0mm 45V28
28	NTC0120	Gas L.Alumina Cup Gr.6-φ19/53N87	63	NTQ0027	Large Dia. Gas Lens Insulator
29	NTC0117L	Gas L.Alumina Cup Gr.6-φ9.5	64	NTQ0002	Gasket
30	NTC0118L	Gas L.Alumina Cup Gr.6-φ12.5	65	NTQ0003	Gas Lens Insulator
31	NTC0119L	Gas L.Alumina Cup Gr.6-φ16	66	TE0009-10	collet Body Large G.Lens 1.0mm 45V0204
32	NTC0120L	Gas L.Alumina Cup Gr.6-φ19	67	TE0009-16	collet Body Large G.Lens 1.6mm 45V116
33	NTC0117XL	Gas L.Alumina Cup Gr.6-φ9.5	68	TE0009-24	collet Body Large G.Lens 2.4mm 45V64
34	NTC0118XL	Gas L.Alumina Cup Gr.6-φ12.5	69	TE0009-32	collet Body Large G.Lens 3.2mm 995795
35	NTC0119XL	Gas L.Alumina Cup Gr.6-φ16	70	TE0009-40	collet Body Large G.Lens 4.0mm 45V63

ACCESSORY KIT		
Part Number	Description	Qty
NTT0023	Accessory Kit φ1.6 Toriated with cap	1
NTT0024	Accessory Kit φ2.4 Toriated with cap	1
NTT0025	Accessory Kit φ3.2 Toriated with cap	1
NTT0103	Accessory Kit φ1.6Toriated	1
NTT0104	Accessory Kit φ2.4Toriated	1
NTT0105	Accessory Kit φ3.2Toriated	1
NTT0110	Master Accessory Kit 17/18/26	1

SPARE PARTS KIT			
Description	Qty	Description	Qty
ceramic nozzle	1	ceramic nozzle	1
collet	1	collet	1
collet body	1	collet body	1
tungsten electrode	1	tungsten electrode	1
		long back cap	1



TIG9/20/25



Consumables			
No.	Part Number	Description	
1	NBW0063	Long Back Cap /41V24	
2	NBW0064	Medium Back Cap /41V35	
3	NBW0065	Shot Cap /41V33	
4	NEA0129	O-Ring 98W77	
5	NTC0012	Alumina Cup Gr.4-φ6.4/13N08	
6	NTC0013	Alumina Cup Gr.5-φ8.0/13N09	
7	NTC0014	Alumina Cup Gr.6-φ9.8/13N10	
8	NTC0015	Alumina Cup Gr.7-φ11.2/13N11	
9	NTC0016	Alumina Cup Gr.8-φ12.7/13N12	
10	NTC0017	Alumina Cup Gr.10-φ15.7/13N13	
11	NTC0041	Gas L Alumina Cup Gr.4-φ6.4/53N58	
12	NTC0042	Gas L Alumina Cup Gr.5-φ8.0/53N59	
13	NTC0043	Gas L Alumina Cup Gr.6-φ9.8/53N60	
14	NTC0044	Gas L Alumina Cup Gr.7-φ11.2/53N61	
15	NTC0045	Gas L Alumina Cup Gr.8-φ12.7/53N61S	
16	NTC0096	Long Alumina Cup Gr.4-φ6.4 /48mm	
17	NTC0097	Long Alumina Cup Gr.5-φ8.0 /48mm	
18	NTC0098	Long Alumina Cup Gr.6-φ9.5 /48mm	
19	NTC0101	Long Alumina Cup Gr.4-φ6.5 /48mm	
20	NTC0102	Long Alumina Cup Gr.5-φ5.0 /48mm	
21	NTC0103	Long Alumina Cup Gr.4-φ6.5 /48mm	
22	NTD0003-05	Collet φ0.5mm 13N20	
23	NTD0003-10	Collet φ1.0mm 13N21	
24	NTD0003-16	Collet φ1.6mm 13N22	
25	NTD0003-20	Collet φ2.0mm	
26	NTD0003-24	Collet φ2.4mm 13N23	
27	NTD0003-32	Collet φ3.2mm 13N24	
28	NTE0003-05	Collet Body φ0.5mm 13N25	
29	NTE0003-10	Collet Body φ1.0mm 13N26	
30	NTE0003-16	Collet Body φ1.6mm 13N27	
31	NTE0003-24	Collet Body φ2.4mm 13N28	
32	NTE0003-32	Collet Body φ3.2mm 13N29	
33	NTE0005-05	Collet Body G.Lens 0.5mm 45V41	
34	NTE0005-10	Collet Body G.Lens 1.0mm 45V42	
35	NTE0005-16	Collet Body G.Lens 1.6mm 45V43	
36	NTE0005-24	Collet Body G.Lens 2.4mm 45V44	
37	NTE0005-32	Collet Body G.Lens 3.2mm 45V45	
38	NTQ0001	Gasket	


ACCESSORY KIT		
Part Number	Description	Qty
NTT0021	Accessory Kit φ1.6 Toriated with cap	1
NTT0022	Accessory Kit φ1.4 Toriated with cap	1
NTT0101	Accessory Kit φ1.6 Toriated	1
NTT0102	Accessory Kit φ2.4 Toriated	1
NTT0109	Tig9-Tig20(Master Accessory Kit 9-20)	1



SPARE PARTS KIT			
Description	Qty	Description	Qty
Ceramic nozzle	1	Ceramic nozzle	1
Collet	1	Collet	1
Collet body	1	Collet body	1
Tungsten electrode	1	Tungsten electrode	1
		Long back cap	1

气筛的作用

Protection gas flow is usually guttered by a STANDARD ceramic nozzle (Figure 1). Such flow is affected by turbulences of torch head which are caused by the inlet pressure. In order to assure an uniform gas distribution, above all in stainless steel, titanium and aluminium alloys welding, we suggest the use of GAS LENS spare parts. The electrode holder equipped with a gas lens net, uniforms the flow (Figure 2)and aid to save the protection gas. Where permitted by external dimensions, it is recommended the JUMBO version which increases the protected surface with advantage for welding quality (Figure 3).

保护气体的流动通常由标准的陶瓷喷管进行引流(图1)。这种流动受到进口压力引起的枪头紊流的影响。为了保证气体的均匀分布,首先在不锈钢、钛和铝合金焊接中,我们建议使用气筛。电极夹装有气筛网,使气流均匀(图2),并有助于节省保护气体。在外部尺寸允许的情况下,建议采用JUMBO型号,它增加了保护表面,有利于焊接质量(图3)





Consumables			
No.	Part Number	Description	No. Part Number Description
1	NBW0063	Long Back Cap /41V24	44 NTD0001S-20 Short Collet φ2.0mm
2	NBW0064	Medium Back Cap /41V35	45 NTD0001S-24 Short Collet φ2.4mm 10N24
3	NBW0065	Shot Cap /41V33	46 NTD0001S-32 Short Collet φ3.2mm 10N25
4	NEA0129	O-Ring 98W77	47 NTD0001S-40 Short Collet φ4.0mm 54N20
5	NBW0056	Medium Back Cap	48 NTD0001S-48 Short Collet φ4.8mm 30028
6	NBW0066	Long Back Cap /57Y02	49 NTD0003-05 Collet φ0.5mm 13N20
7	NBW0067	Shot Cap /57Y04	50 NTD0003-10 Collet φ1.0mm 13N21
8	NEA0130	O-Ring	51 NTD0003-16 Collet φ1.6mm 13N22
9	NTCB0012	Glass Cup Gr.4-φ6.4	52 NTD0003-20 Collet φ2.0mm
10	NTCB0013	Glass Cup Gr.5-φ8.0	53 NTD0003-24 Collet φ2.4mm 13N23
11	NTCB0014	Glass Cup Gr.6-φ9.8	54 NTD0003-32 Collet φ3.2mm 13N24
12	NTCB0015	Glass Cup Gr.7-φ11.2	55 NTE0001-05 Collet Body φ0.5mm 10N29
13	NTCB0016	Glass Cup Gr.8-φ12.7	56 NTE0001-10 Collet Body φ1.0mm 10N30
14	NTCB0009	Glass Cup Gr.10-φ15	57 NTE0001-16 Collet Body φ1.6mm 10N31
15	NTCB0012L	Glass Cup Gr.4-φ6.4	58 NTE0001-24 Collet Body φ2.4mm 10N32
16	NTCB0013L	Glass Cup Gr.5-φ8.0	59 NTE0001-32 Collet Body φ3.2mm 10N28
17	NTCB0014L	Glass Cup Gr.6-φ9.8	60 NTE0001-40 Collet Body φ4.0mm 406488
18	NTCB0015L	Glass Cup Gr.7-φ11.2	61 NTE0001-48 Collet Body φ4.8mm 30126
19	NTCB0016L	Glass Cup Gr.8-φ12.7	62 NTE0001S-05 ShortCollet Body φ0.5mm
20	NTCB0009L	Glass Cup φ15.	63 NTE0001S-10 Short Collet Body φ1.0mm
21	NTCB0002	Glass Cup Gr.4-φ6.4	64 NTE0001S-16 Short Collet Body φ1.6mm
22	NTCB0003	Glass Cup Gr.5-φ8.0	65 NTE0001S-24 Short Collet Body φ2.4mm
23	NTCB0004	Glass Cup Gr.6-φ9.8	66 NTE0001S-32 Short Collet Body φ3.2mm
24	NTCB0005	Glass Cup Gr.7-φ11.2	67 NTE0001S-40 Short Collet Body φ4.0mm
25	NTCB0006	Glass Cup Gr.8-φ12.7	68 NTE0001S-48 Short Collet Body φ4.8mm
26	NTCB0010	Glass Cup φ15	69 NTE0003-05 Collet Body φ0.5mm 13N25
27	NTCB0031	Gas L.Glass Cup Gr.4-φ6.4	70 NTE0003-10 Collet Body φ1.0mm 13N26
28	NTCB0032	Gas L.Glass Cup Gr.5-φ8.0	71 NTE0003-16 Collet Body φ1.6mm 13N27
37	NTCB0033	Gas L.Glass Cup Gr.6-φ9.8	72 NTE0003-24 Collet Body φ2.4mm 13N28
38	NTCB0034	Gas L.Glass Cup Gr.7-φ11.2	73 NTE0003-32 Collet Body φ3.2mm 13N29
39	NTCB0035	Gas L.Glass Cup Gr.8-φ12.7	74 NTEB0006-05 Collet Body G.Lens 0.5mm 45V29
40	NTCB0036	Gas L.Glass Cup Gr.11-φ17	75 NTEB0006-10 Collet Body G.Lens 1.0mm 45V24
41	NTD0001-05	Collet φ0.5mm	76 NTEB0006-16 Collet Body G.Lens 1.6mm 45V25
42	NTD0001-10	Collet φ1.0mm	77 NTEB0006-24 Collet Body G.Lens 2.4mm 45V26
43	NTD0001-16	Collet φ1.6mm	78 NTEB0006-24 Collet Body G.Lens 2.4mm 45V26
44	NTD0001-20	Collet φ2.0mm	79 NTEB0006-32 Collet Body G.Lens 3.2mm 45V27
37	NTD0001-24	Collet φ2.4mm	80 NTEB0006-40 Collet Body G.Lens 4.0mm 45V28
38	NTD0001-32	Collet φ3.2mm	81 NTQ0001 Gasket
39	NTD0001-40	Collet φ4.0mm	82 NTQ0002 Gasket
40	NTD0001-48	Collet φ4.8mm	83 NTQ0002S Stubby Gasket
41	NTD0001S-05	Short Collet φ0.5mm	84 NTQ0006 Gas Lens Insulator
42	NTD0001S-10	Short Collet φ1.0mm	85 NTCZH018 The Nut Use For Glass Cup+O-Ring
43	NTD0001S-16	Short Collet φ1.6mm 10N23	86 NTCZH009 The Nut Use For Glass Cup+O-Ring

Torch Body

Torch Body Options 适配枪头

WP Tig Torch Heads are 100% interchangeable with OEM Tig torches. Air and Liquid-Cooled torch bodies are offered with a choice of standard and flexible options. Flexible options have the ability to be manipulated into different positions.

WP系列氩弧焊枪枪头可与市场上通用的氩弧焊枪枪头互换。枪头包含空冷及水冷枪头，可选择标准枪头、柔性枪头、带阀门的枪头或带阀门的柔性枪头。

Air-Cooled Range 空冷枪头

STANDARD



WITH VALVE



AUTO



FLEXIBLE



FLEXIBLE WITH VALVE



Tig Welding Torch Heads

No.	Part Number	Description	No.	Part Number	Description
1	NBW0061	Valve VS 9/17	21	NTF1000	AUTOTIG 9 Torch Head
2	NBW0062	Valve VS 26	22	NTF1001	AUTOTIG 26 Torch Head
3	NEA0111	O-Ring	23	NTG0018	TIG 18 Torch Head
4	NEA0122	O-Ring	24	NTG0020	TIG 20 Torch Head
5	NEA0129	98W77 O-Ring	25	NTG0024	TIG 24W Torch Head
6	NTF0009	TIG 9 Torch Head	26	NTG0224	TIG 24W Flex Torch Head
7	NTF0010	TIG 9 Flex Torch Head	27	TG0025	TIG 25 Torch Head
8	NTF0017	TIG 17 Torch Head	28	NTG0118	TIG 18 Flex Torch Head
9	NTF0022	TIG 17 Flex Torch Head	29	NTG0220	TIG 20 Flex Torch Head
10	NTF0024	TIG 24 Torch Head	30	NTG0224	TIG 24W Flex Torch Head
11	NTF0026	TIG 26 Torch Head	31	NTG0912	TIG Super 20 Torch Head
12	NTF0027	TIG 26 Flex Torch Head	32	TG0913	TIG Super 18 Torch Head
13	NTF0109	TIG 9 V Torch Head	33	NTG1000	AUTOTIG 20 Torch Head
14	NTF0110	TIG 9 V Flex Torch Head	34	NTG1001	AUTOTIG 18 Torch Head
15	NTF0117	TIG 17 V Torch Head	35	NTQ0001	Insulator Torch Body 9/20/25/Super20
16	NTF0118	TIG 17 V Flex Torch Head	36	NTQ0002	Insulator Torch Body 17/18/26
17	NTF0126	TIG 26 V Torch Head	37	NTQ0004	Insulator Torch Body 24/24w
18	NTF0127	TIG 26 V Flex Torch Head	38	NTQ0008	Insulator Torch Body Super18
19	NTF0224	TIG 24 Flex Torch Head	39	NTQ0003	Gas Lens Insulator 54N01 17/18/26
20	NTF0024	TIG 24 Torch Head	40	NTG0012	WP 12 Torch Head

Tungsten Electrodes



150mm 钨电极 Tungsten Electrodes 150mm

No.	Part Number	Description	No.	Part Number	Description
1	NTR0001-10	Pure Tungsten 150mm ϕ 1.0	8	NTR0003-10	2% Thoriated Tungsten 150mm ϕ 1.0
2	NTR0001-16	Pure Tungsten 150mm ϕ 1.6	9	NTR0003-16	2% Thoriated Tungsten 150mm ϕ 1.6
3	NTR0001-20	Pure Tungsten 150mm ϕ 2.0	10	NTR0003-20	2% Thoriated Tungsten 150mm ϕ 2.0
4	NTR0001-24	Pure Tungsten 150mm ϕ 2.4	11	NTR0003-24	2% Thoriated Tungsten 150mm ϕ 2.4
5	NTR0001-32	Pure Tungsten 150mm ϕ 3.2	12	NTR0003-32	2% Thoriated Tungsten 150mm ϕ 3.2
6	NTR0001-40	Pure Tungsten 150mm ϕ 4.0	13	NTR0003-40	2% Thoriated Tungsten 150mm ϕ 4.0
7	NTR0001-48	Pure Tungsten 150mm ϕ 4.8	14	NTR0003-48	2% Thoriated Tungsten 150mm ϕ 4.8

175mm 钨电极 Tungsten Electrodes 175mm

No.	Part Number	Description	No.	Part Number	Description
1	NTR0002-10	Pure Tungsten 175mm ϕ 1.0	15	NTR0008-10	2% Cerium Tungsten 175mm ϕ 1.0
2	NTR0002-16	Pure Tungsten 175mm ϕ 1.6	16	NTR0008-16	2% Cerium Tungsten 175mm ϕ 1.6
3	NTR0002-24	Pure Tungsten 175mm ϕ 2.4	17	NTR0008-20	2% Cerium Tungsten 175mm ϕ 2.0
4	NTR0002-32	Pure Tungsten 175mm ϕ 3.2	18	NTR0008-24	2% Cerium Tungsten 175mm ϕ 2.4
5	NTR0002-40	Pure Tungsten 175mm ϕ 4.0	19	NTR0008-32	2% Cerium Tungsten 175mm ϕ 3.2
6	NTR0002-48	Pure Tungsten 175mm ϕ 4.8	20	NTR0008-40	2% Cerium Tungsten 175mm ϕ 4.0
7	NTR0002-64	Pure Tungsten 175mm ϕ 6.4	21	NTR0008-48	2% Cerium Tungsten 175mm ϕ 4.8
8	NTR0004-10	2% Thoriated Tungsten 175mm ϕ 1.0	22	NTR0014-10	1.5% Lanthanum Tungsten 175mm ϕ 1.0
9	NTR0004-16	2% Thoriated Tungsten 175mm ϕ 1.6	23	NTR0014-16	1.5% Lanthanum Tungsten 175mm ϕ 1.6
10	NTR0004-20	2% Thoriated Tungsten 175mm ϕ 2.0	24	NTR0014-20	1.5% Lanthanum Tungsten 175mm ϕ 2.0
11	NTR0004-24	2% Thoriated Tungsten 175mm ϕ 2.4	25	NTR0014-24	1.5% Lanthanum Tungsten 175mm ϕ 2.4
12	NTR0004-32	2% Thoriated Tungsten 175mm ϕ 3.2	26	NTR0014-32	1.5% Lanthanum Tungsten 175mm ϕ 3.2
13	NTR0004-40	2% Thoriated Tungsten 175mm ϕ 4.0	27	NTR0014-40	1.5% Lanthanum Tungsten 175mm ϕ 4.0
14	NTR0004-48	2% Thoriated Tungsten 175mm ϕ 4.8	28	NTR0014-48	1.5% Lanthanum Tungsten 175mm ϕ 4.8

常用钨极棒的种类：

- 1、纯钨 PURE（绿色）用于焊接铝及铝合金（交流焊接，适应低电流）。
- 2、2% 铈钨 CERIATED（灰色）用于焊接铁及碳钢、铝合金，（不能焊纯铝，用于低电流直流机）。
- 3、2% 钍钨 THORIATED（红色）用于焊接碳钢、不锈钢、镍合金和钛合金材料的焊接，适用范围广，适合大部分的焊接人群。
- 4、1.5% 镧钨 LANTANIUM（黄色）用于焊接碳钢及不锈钢（无辐射）。




Product Parameters 钨电极直径与电流对照表

Diamater 直径	DCEN 直流正接	DCEP 直流负接	AC 交流
1.0mm	10-75	1-10	15-75
1.6mm	60-150	10-20	60-125
2.0mm	100-200	15-25	85-160
2.4mm	170-250	17-30	120-210
3.0mm	200-300	20-25	140-230
3.2mm	225-330	30-35	150-250
4.0mm	350-480	35-50	240-350
5.0mm	500-675	50-70	330-460

Cable Fitting Options 线缆适配选项

Terminations for all types of welding machines.
TIG枪后尾可根据需要选择相应的适配接口。

Air-Cooled Range 空冷接头



A-Cable Fitting 带压接端子气螺母的气电分体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Gas Hose	Rubber/Overbraid 5*8 橡胶包纱
5	Wire Plug	Cable plug if required 可选配各种航插
6	Connection	电缆接头铜端子
7	Gas Connector	M16X1.5 / M10X1 / 9/16-18UNF 气管接头

B-Cable Fitting 带压接端子气螺栓的气电分体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Gas Hose	Rubber/Overbraid 5*8 橡胶包纱
5	Wire Plug	Cable plug if required 可选配各种航插
6	Connection	电缆接头铜端子
7	Gas Connector	5/8-18UNF 气管接头

C-Cable Fitting 带快插的气电分体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Gas Hose	Rubber/Overbraid 5*8 橡胶包纱
5	Wire Plug	Cable plug if required 可选配各种航插
6	Power Adaptor	10-25mm² /35-70mm² 快插
7	Gas Connector	5/8-18UNF 气管接头


D-Cable Fitting 螺母气电一体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Cable plug if required 可选配各种航插
5	Power Connector	M16X1.5 / M12X1 电缆接头

E-Cable Fitting 螺栓气电一体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Cable plug if required 可选配各种航插
5	Power Connector	5/8-UNF / 7/18-14UNF 电缆接头

F-Cable Fitting 带快插的气电一体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Gas Hose	Rubber/Overbraid 5*8 橡胶包纱
5	Wire Plug	Cable plug if required 可选配各种航插
6	Power Adaptor	35-70mm² 快插
7	Gas Connector	M16X1.5 / M10X1 / 9/16-18UNF 气管接头


Cable Fitting Options 线缆适配选项

Terminations for all types of welding machines.
TIG枪后尾可根据需要选择相应的适配接口。



G-Cable Fitting 松下款气电一体式后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Gas Hose	Rubber/Overbraid 5*8 橡胶包纱
5	Wire Plug	Pna Type 2 pin Plug 2 芯航插
6	Connection	电缆接头铜端子
7	Gas Connector	9/16-18UNF 气管接头

Water-Cooled Range 水冷接头




H-Cable Fitting 水冷螺母后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Cable plug if required 可选配各种航插
5	Gas Connector	M16X1.5 / 9/16-18UNF 气管接头
6	Connection	M16X1.5 / 7/8-14UNF 电缆接头
7	Water Connector	M16X1.5 / 5/8-18UNF 水管接头

I-Cable Fitting 水冷螺栓后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Cable plug if required 可选配各种航插
5	Gas Connector	5/8-18UNF 气管接头
6	Connection	7/8-14UNF-LH 电缆接头
7	Water Connector	5/8-18UNF-LH 水管接头

J-Cable Fitting 带通水快插的水冷后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Cable plug if required 可选配各种航插
5	Gas Connector	M16X1.5 / 5/8-18UNF 气管接头
6	Power Adaptor	35-70mm² 快插
7	Water Connector	通水快插 (红色)
8	Water Connector	通水快插 (蓝色)

K-Cable Fitting 松下水冷后尾接口		
No.	Description	
1	Cable Cover	电缆护套 (EPDM 橡胶外套 /PVC 外套 / 布套等可选择)
2	Switch wire	2-6 芯控制线
3	current cable	主电缆
4	Wire Plug	Pna Type 2 pin Plug 2 芯航插
5	Gas Connector	9/16-18UNF 气管接头
6	Connection	电缆接头铜端子
7	Water Connector	5/8-18UNF 水管接头
8	Water Connector	5/8-18UNF 水管接头


Cable connectors




SOCKET			
Part Number	mm ²	φ mm	Amp-Max
NX0040	10-25	14	200
NX0041	35	21	250
NX0042	50	21	315
NX0067	70	21	400
NX0043	70	24	400
NX0044	95	24	500

PLUG			
Part Number	mm ²	φ mm	Amp-Max
NX0020	10-25	14	200
NX0021	35	21	250
NX0022	50	21	315
NX0025	70	21	400
NX0023	70	24	400
NX0024	95	24	500

电缆插头系列



Cable connectors



PANEL SOCKET-MINI				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0029	10-25	14	32	200
NX0030	10-25	14	32	200

PANEL PLUG-MINI				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0010	10-25	14	32	200



PANEL SOCKET-STANDARD				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0058	35-70	21	38	400
NX0059	70-95	24	38	500
NX0060	35-70	21	38	400

PANEL PLUG-STANDARD				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0072	35-70	21	38	400
NX0073	70-95	24	38	500




PANEL SOCKET-HIGH				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0031	35-70	21	49	400
NX0032	70-95	24	49	500




PANEL PLUG-HIGH				
Part Number	mm ²	A-φ mm	φ mm	Amp-Max
NX0012	35-70	21	49	400
NX0013	70-95	24	49	500

Quick connectors


NT300



Part Number	φ mm	M	Color
FA3045	6	M12X1	Brass
FA3046	8	M12X1	Brass
FA3047	10	M12X1	Brass




Part Number	φ mm	M	Color
FA3075	6	M12X1	Red
FA3076	8	M12X1	Red
FA3077	10	M12X1	Red




Part Number	φ mm	M	Color
FA3085	6	M12X1	Blue
FA3086	8	M12X1	Blue
FA3087	10	M12X1	Blue



Part Number	φ mm	Color
FA3045-A	6	Brass
FA3046-A	8	Brass
FA3047-A	10	Brass



Part Number	φ mm	Color
FA3075-A	6	Red
FA3076-A	8	Red
FA3077-A	10	Red




Part Number	φ mm	Color
FA3085-A	6	Blue
FA3086-A	8	Blue
FA3087-A	10	Blue




Part Number	M	Color
FA3044	1/8G	Brass
FA3044-A	M10X1	Brass




Part Number	M	Color
FA3074	1/8G	Brass
FA3074-A	M10X1	Brass




Part Number	M	Color
FA3084	1/8G	Brass
FA3084-A	M10X1	Brass



Part Number	φ mm	M	Color
FA0000-A	6	1/8G	Brass
FA0000-B	8	1/8G	Brass
FA0001-A	6	M10X1	Brass
FA0001-B	8	M10X1	Brass



Part Number	φ mm	Color
FA3020-4	4	Brass
FA3020	6	Brass
FA3020W	8	Brass
FA3020M	8.6	Brass



Part Number	M	Color
FA3027	1/4G	Brass
FA3027-A	1/8G	Brass
FA3027-B	M10X1	Brass
FA3027-C	M12X1	Brass

NT300- 智能 TIG 送丝机



- NT300-送丝机主要功能
- 1、送丝速度调节
 - 2、回抽/延时送丝时间调节
 - 3、送丝/回抽选择
 - 4、手动/自动选择

Technical Data 参数		No.	Part No.	Description
型号	NT300	1	NSR1407S	送丝 TIG18-4 米
送丝机电压	AC~24V		NSR1410S	送丝 AUTOTIG18-4 米
电源电压	AC~220V		NSU1407S	送丝 TIG20-4 米
送丝速度	0-10m/min		NSK1407S	送丝 TIG26-4 米
送丝直径	0.8-1.6mm	2	NMU0500	NT300-TIG 送丝机
额定送丝力	200N	3	NBX0500	AC~220V 转 AC~24V 电源适配器
适配焊丝盘	50X300X103 (轴径 X 外径 X 宽度)			
适用焊丝类型	不锈钢、软钢实芯 (铝丝) 等			
适配焊丝重量	≤ 20KG			
送丝机重量	10KG			
防护等级	IP23			
外形尺寸	480X200X270mm			



Technical Data 参数					
TIG 20		TIG 26		AUTOTIG 18	
冷却方式	水冷	冷却方式	空冷	冷却方式	水冷
保护气	氩气	保护气	氩气	保护气	氩气
暂载率	100%	暂载率	60%	暂载率	100%
最大电流	250A DC~220A AC	最大电流	200A DC~150A AC	最大电流	350A DC~270A AC
水压	4Bar			水压	4Bar
水流量	1.5L/min			水流量	1.5L/min